

#### **Product technical sheet**

## **STEEL+ 1723**







1 - 8 years

13 kids

25,3 m<sup>2</sup>





#### **Material specification**

- Powder galvanized and powder coated or stainless steel construction of 80 x 80 cm profile,
- Roofs and side panels made of durable HDPE plate, resistant to weather conditions,
- Moving elements made of durable HDPE plate, resistant to weather conditions,
- Drawing board made of durable HPL plate, resistant to weather conditions,
- Maze windows made of polycarbonate, balls made of synthetic material,
- Xylophone made of aluminum pipes and durable HDPE plate, resistant to weather conditions and rubber with textile reinforcement,
- Telescope made of stainless steel and durable HDPE plate, resistant to weather conditions,
- Steel ropes in polypropylene braid, connected with durable plastic elements, stainless steel or aluminum,
- Attested, safe seats,
- · Calibrated stainless steel chains, preventing fingers entrapment,
- Stainless steel bars,
- Screws covered with plastic caps and/or stainless steel screws,
- Safe end caps on top of the structure made of rubber or polypropylene,



#### Facilitating disability



sound stimulation



easy access



integration



#### Intellectual development



sensory



touch



music

thinking



sight



#### Physical development



climbing



rocking









#### **Product technical sheet**

## **STEEL+ 1723**


#### **Product data**


Length	313 cm	
Width	283 cm	
Total height	206 cm	
Age group	1 - 8 years	
Number of users	13 kids	
Safety zone	25,3 m2	
Free fall height	70 cm	
In accordance with norm EN	1176-1:2017	
Weight of the heaviest part	30 kg	
Dimensions of the largest part	255x8x8 cm	
Availability of spare parts	YES	
Installation time	4 h	


Data is subject to change without prior notice.

#### **Additional information**

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jimming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;







#### **Guarantee**



30 year guarantee -Structural strength of steel and stainless steel components



15 year guarantee -Structural failure of steel and stainless steel, for dynamic equipment



10 year guarantee - Structural failure of high density polyethylene and high pressure laminates components



5 year guarantee - Corrosion of stainless steel and hot dip galvanized and powder coated components; against bark beetles and rot in case of wooden structural

Detailed information in the guarantee card



VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991





## Surfaces according to EN 1176-1:2017

	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)
Turf/ top layer of soil (A,B,C)	-	-	≤100
bark (A,C) Particle size from 20 to 80	Particle size from 20	30	≤200
	to 80	40	≤300
woodchips (A,C)  Particle size from 5 to 30	30	≤200	
	40	≤300	
sand or gravel (A,C)	Particle size from 0,25 to 8	30	≤200
		40	≤300
synthetic attested (A,B,C)	c attested Tested according to EN 1177		70

#### **Product technical sheet**

## **STEEL+ 1723**

# Amount of safe surface corresponding with free fall height:

HIC <60	16,1 m <sup>2</sup>
HIC 70	9,2 m <sup>2</sup>

Data is subject to change without prior notice.

